TREASURE ---->HUNT<





TREASURE >>>>>>>HUNT<

QUILT DESIGNED BY AGEstudio



FABRICS DESIGNED BY SHARON HOLLAND





LLP-56702 FOREST FRIENDS



LLP-56701 BERRY PICKING



LLP-56706 FERNGULLY



LLP-56705 BUDDING ARTIST



LLP-56713 ODE TO TOADY



LLP-56707 LILLIPUTIAN



LLP-56714 PINEY WOODS



LLP-56709 FIELD DAY



LLP-56703 TWINKLE TWINKLE GALAXY



LLP-56700 FULL BLOOM

ADDITIONAL BLENDERS FOR THIS PROJECT



FE-518 BALLERINA



FINISHED SIZE | 70" × 70"

FABRIC REQUIREMENTS

Fabric A	LLP-56702	1 yd.
Fabric B	FE-518	1 yd.
Fabric C	LLP-56701	½ yd.
Fabric D	LLP-56706	³ / ₄ yd.
Fabric E	LLP-56705	½ yd.
Fabric F	LLP-56713	½ yd.
Fabric G	LLP-56707	³ / ₄ yd.
Fabric H	LLP-56714	½ yd.
Fabric I	LLP-56709	½ yd.
Fabric J	LLP-56703	2¾ yd.
Fabric K	LLP-56700	½ yd.

BACKING FABRIC

LLP-56705 4 ½ yds (Suggested)

BINDING FABRIC

Fabric D LLP-56706 (Included)

CUTTING DIRECTIONS


¹/₄" seam allowances are included. WOF means width of fabric.

- Four (4) 7½" squares from fabric A.
- Four (4) 7%" squares from fabric A.
- One (1) 10½" square (On Point) from fabric A.

- Four (4) 7%" squares from fabric B.
- Twelve (12) $7\frac{1}{2}$ " squares from fabric B.
- Eight (8) templates from fabric C.
- Eight (8) templates from fabric D.
- Eight (8) templates from fabric E.
- Eight (8) templates from fabric F.
- Twelve (12) 7%" squares from fabric G.
- Two (2) 7%" squares from fabric H.
- Two (2) 7%" squares from fabric I.
- Twenty four (24) 7%" squares from fabric J.
- Two (2) 7¾" squares from fabric J.
- Thirty two (32) 7½" squares from fabric J.
- Two (2) templates from fabric K.
- Follow the diagram below for the cutting instruction for fabrics A, C and F.



Fabric A



Fabric F




DIAGRAM 1

CONSTRUCTION

Sew all rights sides together with ¼"seam allowance.

HST construction

- Pair two (2) 7%" fabric squares, right sides facing together.
- Draw a line diagonally corner to corner using a mechanical pencil or frixion pen.
- Stitch 1/4" on each side of the drawn lines.
- Cut the pieces apart along the marked diagonal line.
- Press and trim to 7½" x 7½".



To accomplish the HST construction take four (4) 7%" squares from fabrics A and B, two (2) 7%" squares from fabric H, I, twenty (20) 7%" squares from fabric J and twelve (12) 7%" squares from fabric G.




DIAGRAM 3

• For fabric A. make sure to cut two (2) 7\%"

- For fabric A, make sure to cut two (2) 7%s" squares from left to right and two (2) 7%s" squares from right to left.
- This way you will be able to maintain the direction of the fabric.




DIAGRAM 4

- Take one (1) 7¾" square from fabric J and one
 (1) petal template from fabric K and place it on top of the block following the diagram below.
- Top stitch around the petal using straight stitch or zig zag stitch.
- Then, cut at the diagonal.




DIAGRAM 5

- Take another 7¾" square from fabric J and one
 (1) petal template from fabric K and place it on top of the block following the diagram below.
- Cut at the diagonal on the opposite direction.




DIAGRAM 6

- Join one unit on one corner of the 10½"
 square from fabric A and the other half on the
 other corner of the piece.
- Repeat the same previous steps in order to complete your center block, which should measure 14½" x 14½".





DIAGRAM 6

- Take eight (8) petal template from fabrics C, D,
 E, F and thirty two (32) 7½" squares from fabric
 J and pair each petal following the diagram below.
- Use straight stitch or zig zag stitch to secure the petals.



 Join two (2) C-J blocks together, two (2) D-J, two (2) E-J and two (2) F-J following the diagram below.




DIAGRAM 8

ASSEMBLING THE TOP

Sew all rights sides together with ¼"seam allowance. Press open.

• To assemble your quilt top, join your pieces row by row in the following order:

Row 1: B, B, B-J, G-J, F-J, G-J, B-J, B, B

Row 2: B, A, A-J, G-J, E-J, G-J, A-J, A, B

Row 3: B-J, A-J, H-J, G-J, D-J, G-J, H-J, A-J, B-J

Row 4: G-J, G-J, I-J, C-J, I-J, I-J, G-J, G-J, G-J

Row 5: F-J, E-J, D-J, C-J, Center Block, C-J, D-J, E-J, F-J

Row 6: G-J, G-J, G-J, I-J, C-J, I-J, G-J, G-J, G-J

Row7: B-J, A-J, H-J, G-J, D-J, G-J, H-J, A-J, B-J

Row 8: B, A, A-J, G-J, E-J, G-J, A-J, A, B

Row 9: B, B, B-J, G-J, F-J, G-J, B-J, B, B




DIAGRAM 9



DIAGRAM 10

QUILT ASSEMBLY

Sew rights sides together.

- Place BACKING FABRIC on a large surface wrong side up. Stretch it with masking tape against that surface.
- Place BATTING on top of backing fabric.
- Place TOP on top of the batting with right side facing up. Smooth away wrinkles using your hands.
- Pin all layers together and baste with basting thread, using long stitches. You can also use safety pins to join the layers.
- Machine or hand quilt starting at the center and working towards the corners. Remember that quilting motifs are a matter of personal preference. Have fun choosing yours!
- After you finished, trim excess of any fabric or batting, squaring the quilt to proceed to bind it.

BINDING

Sew rights sides together.

- Cut enough strips 1½" wide by the width of the fabric D to make a final strip 290" long. Start sewing the binding strip in the middle of one of the sides of the quilt, placing the strip right side down and leaving an approximated 5" tail. Sew with ¼" seam allowance (using straight stitch), aligning the strip's raw edge with the quilt top's raw edge.
- Stop stitching ¼" before the edge of the quilt (DIAGRAM B 1). Clip the threads. Remove the quilt from under the machine presser foot. Fold the strip in a motion of 45° and upward, pressing with your fingers (DIAGRAM B2). Hold this fold with your finger, bring the strip down in line with the next edge, making a horizontal fold that aligns with the top edge of the quilt (DIAGRAM B3). Start sewing at ¼" of the border, stitching all the layers. Do the same in the four corners of the quilt.


• Stop stitching before you reach the last 5 or 6 inches. Cut the threads and remove the quilt from under the machine presser foot. Lay the loose ends of the binding flat along the quilt edge, folding the ends back on themselves where they meet. Press them together to form a crease. Using this crease as the stitching line, sew the two open ends of the binding

with right sides together (you can help

difficult to see).

• Trim seam to ¼" and press open. Complete the sewing. Turn binding to back of the quilt, turn raw edge inside and stitch by hand using blind stitch.

yourself marking with a pencil if the crease is



Congratulations & enjoy



artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies.

Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

© 2021Courtesy of Art Gallery Quilts LLC. All Rights Reserved.

TEMPLATE

